

LSUHSC Shreveport
Radiology Department
Proc 12.5.3

| EXI LOG - Siemens Aristos | | | |
|----------------------------------|------------------|-----------------|---------------------|
| | Month | Year | |
| DATE | EXI TABLE | EXI WALL | ACTION TAKEN |
| 1 | | | YES / NO |
| 2 | | | YES / NO |
| 3 | | | YES / NO |
| 4 | | | YES / NO |
| 5 | | | YES / NO |
| 6 | | | YES / NO |
| 7 | | | YES / NO |
| 8 | | | YES / NO |
| 9 | | | YES / NO |
| 10 | | | YES / NO |
| 11 | | | YES / NO |
| 12 | | | YES / NO |
| 13 | | | YES / NO |
| 14 | | | YES / NO |
| 15 | | | YES / NO |
| 16 | | | YES / NO |
| 17 | | | YES / NO |
| 18 | | | YES / NO |
| 19 | | | YES / NO |
| 20 | | | YES / NO |
| 21 | | | YES / NO |
| 22 | | | YES / NO |
| 23 | | | YES / NO |
| 24 | | | YES / NO |
| 25 | | | YES / NO |
| 26 | | | YES / NO |
| 27 | | | YES / NO |
| 28 | | | YES / NO |
| 29 | | | YES / NO |
| 30 | | | YES / NO |
| 31 | | | YES / NO |